

Family data sheet

MAGNET SPOT BIG

LED spot, easy installation with click magnet, magnetic rail Accessories and converter to be ordered separately, max. Track length 20m or 450W per feed



CHARACTERISTIC

- Head can be swiveled 90° and rotated 355°
- Standard reflector 32 ° (on request also in 21° available)
- Voltage 24V DC (order converter separately)



Product overview:

Types:



black/ black



white/ black

Light colors:



2700K super warm white



3000K warm white

Technical information:


2700K

LED:	CREE LED
Total Watt:	14W
Reflector:	32° (Standard)
Net lumen:	1145lm
Kelvin (CCT):	2700K
CRI:	>90Ra
Protection:	IP20
Protection class:	3
Life expectancy:	L70/B10 = 50.000h
Voltage:	220~240V AC/ 48V DC
Dimmability:	DALI
Converter:	excluding external converter

3000K

LED:	CREE LED
Total Watt:	14W
Reflector:	32° (Standard)
Net lumen:	1322lm
Kelvin (CCT):	3000K
CRI:	>90Ra
Protection:	IP20
Protection class:	3
Life expectancy:	L70/B10 = 50.000h
Voltage:	220~240V AC/ 48V DC
Dimmability:	DALI
Converter:	excluding external converter

Drawings:



item number	watt	① kelvin	② reflector	③ color	control
LW48-MSB-①-②-③	14W	» 2700 «	» M « 32° (Standard)	» B « black/ black	DALI
		» 3000 «		» W « white/ black	
		» 2700 «			

